



Printing date 28.09.2010 V - 4 Revision: 28.09.2010

1 Identification of substance:

· Product details:

· Trade name: Cramolin Verdünner für Urethan

· Article number: 405

· Application of the substance / the preparation: Thinner, Diluent

· Manufacturer/Supplier:

ITW Chemische Produkte GmbH & Co. KG

Mühlacker Str. 149 D-75417 Mühlacker Tel: +49 7041 96340 Fax: +49 7041 963429 E-Mail: info@itwcp.de Internet: www.itwcp.de

· Informing department: Product safety department

· Emergency information:

ITW Chemische Produkte GmbH & Co. KG

Tel: +49 7041 96340 Mo - Do 8:00 - 16:30 Fr 8:00 - 14:00

2 Hazards identification

· Hazard designation:







Xn Harmful

F Highly flammable

N Dangerous for the environment

· Information pertaining to particular dangers for man and environment

Has a narcotizing effect.

R 11 Highly flammable.

R 38 Irritating to skin.

R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 65 Harmful: may cause lung damage if swallowed.

R 67 Vapours may cause drowsiness and dizziness.

· Classification system

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

3 Composition/information on ingredients

- · Chemical characterization:
- · CAS No. Designation:

64742-49-0 Naphtha (petroleum), hydrotreated light

• EINECS Number: 265-150-3 • EC Number: 649-328-00-1

GB



Page 2/7

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2010 V - 4 Revision: 28.09.2010

Trade name: Cramolin Verdünner für Urethan

(Contd. of page 1)

4 First aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

Do not induce vomiting; instantly call for medical help.

A person vomiting while lying on their back should be turned onto their side.

5 Fire fighting measures

- · Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents Water.
- Special hazards caused by the material, its products of combustion or resulting gases: Formation of poisonous gases during heating or in fires.
- Protective equipment:

Wear self-contained breathing apparatus.

Do not inhale explosion gases or combustion gases.

· Additional information Cool endangered containers with water spray jet.

6 Accidental release measures

· Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

· Measures for environmental protection:

Prevent material from reaching sewage system, holes and cellars.

Inform respective authorities in case product reaches water or sewage system.

Do not allow to enter drainage system, surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of contaminated material as waste according to item 13.

· Additional information: See Section 7 for information on safe handling

7 Handling and storage

- · Handling
- · Information for safe handling:

Store in cool, dry place in tightly closed containers.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 3)





Printing date 28.09.2010 V - 4 Revision: 28.09.2010

Trade name: Cramolin Verdünner für Urethan

(Contd. of page 2)

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage
- · Requirements to be met by storerooms and containers:

Store in cool location.

Store only in the original container.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the compilation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals. Keep away from foodstuffs, beverages and feed.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed safety glasses.

9 Physical and chemical properties: General Information Form: Fluid

(Contd. on page 4)





Printing date 28.09.2010 V - 4 Revision: 28.09.2010

Trade name: Cramolin Verdünner für Urethan

	(Contd. of page 3)
Colour: Odour:	colourless Characteristic
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	
· Flash point:	1°C
· Ignition temperature:	260°C
· Self-inflammability:	Product is not self igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ steam mixtures is possible.
 Critical values for explosion: Lower: Upper: 	1.1 Vol % 7 Vol %
· Vapour pressure at 20°C:	180 hPa
· Density at 20°C	0.69 g/cm³
 Solubility in / Miscibility with Water at 20°C: Organic solvents: 	0.01 g/l 100.0 %

10 Stability and reactivity

- · Thermal decomposition/ Conditions to be avoided: Protect from heat and direct sunlight.
- · Dangerous products of decomposition:

No dangerous products of decomposition if used and stored according to specifications.

11 Toxicological information

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

64742-49-0 Naphtha (petroleum), hydrotreated light (benzene<0,1%)

 $\begin{array}{c|cccc} Oral & LD50 & >2000 \text{ mg/kg (rat)} \\ Dermal & LD50 & >2000 \text{ mg/kg (rat)} \\ Inhalative & LC50/4 \text{ h} & \geq 5 \text{ mg/l (rat)} \\ \end{array}$

- · Primary irritant effect:
- on the skin: Frequent and/ or presistent contact with skin may cause skin irritation.
- · on the eye: Slight irritant effect possible.
- · Sensitisation: No sensitising effect known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Harmful

(Contd. on page 5)





Printing date 28.09.2010 V - 4 Revision: 28.09.2010

Trade name: Cramolin Verdünner für Urethan

Irritant

(Contd. of page 4)

12 Ecological information:

- · Ecotoxical effects:
- · Remark: Harmful to fish
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

Harmful to aquatic organisms

13 Disposal considerations

- · Product:
- · Recommendation Disposal must be made according to official regulations.
- · European waste catalogue

14 06 03 other solvents and solvent mixtures

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID-GGVS/E Class: 3 (F1) Flammable liquids.

Kemler Number: 33
UN-Number: 3295
Packaging group: II
Label 3

• Designation of goods: 3295 HYDROCARBONS, LIQUID, N.O.S.

· Maritime transport IMDG:



IMDG Class: 3
UN Number: 3295
Label 3
Packaging group: II
EMS Number: F-E,S-D
Marine pollutant: No

(Contd. on page 6)





Printing date 28.09.2010 V - 4 Revision: 28.09.2010

Trade name: Cramolin Verdünner für Urethan

(Contd. of page 5)

· Correct technical name: HYDROCARBONS, LIQUID, N.O.S.

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 3
· UN/ID Number: 3295
· Label 3
· Packaging group: II

· Correct technical name: HYDROCARBONS, LIQUID, N.O.S.

15 Regulatory information

· Designation according to EC guidelines:

The product has been classified and labelled in accordance with EC Directives and the Ordinance on Hazardous Materials (GefStoffV).

· Code letter and hazard designation of product:







Xn Harmful

F Highly flammable

N Dangerous for the environment

· Risk phrases:

- 11 Highly flammable.
- 38 Irritating to skin.
- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 65 Harmful: may cause lung damage if swallowed.
- 67 Vapours may cause drowsiness and dizziness.

· Safety phrases:

- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe fumes.
- 24 Avoid contact with skin.
- 29 Do not empty into drains.
- 33 Take precautionary measures against static discharges.
- 37 Wear suitable gloves.
- 43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 51 Use only in well-ventilated areas.
- 60 This material and its container must be disposed of as hazardous waste.
- · National regulations
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

GB ·





Printing date 28.09.2010 V - 4 Revision: 28.09.2010

Trade name: Cramolin Verdünner für Urethan

(Contd. of page 6)

16 Other information:

Information is based on our current knowledge but does not establish a promise of product characteristics and does not substantiate any contractual legal relationship.

- · Contact: ITW Chemische Produkte GmbH & Co. KG, D-75417 Mühlacker
- * Data compared to the previous version altered.

GB