

General purpose (dual digital transistors)

EMH10 / UMH10N

Structure

Epitaxial planar type NPN silicon transistor (Built-in resistor type)

Features

- 1) Two DTC123J chips in a EMT or UMT package.
- 2) Mounting possible with EMT3 or UMT3 automatic mounting machines.
- 3) Transistor elements are independent, eliminating interference.
- 4) Mounting cost and area can be cut in half.

Packaging specifications

	Package	Тар	ving
	Code	T2R	TN
Туре	Basic ordering unit (pieces)	8000	3000
EMH10		0	-
UMH10N		_	0

●Absolute maximum ratings (Ta=25°C)

Param	eter	Symbol	Limits	Unit	
Supply voltage		Vcc	50	V	
Input voltage		Vin	12	V	
input voltage		VIN	-5	V	
Output current		lo	100	mA	
		IC (Max.)	100	mA	
Power dissipation	EMH10,UMH10N	Pd	150 (TOTAL)	mW *	
Junction temper	rature	Tj	150	°C	
Storage temper	ature	Tstg	-55~+150	°C	


* 120mW per element must not be exceeded.

•Electrical characteristics (Ta=25°C)


Parameter	Symbol	Min.	Тур.	Max.	Unit	Conditions
	VI (off)	_	-	0.5	V	Vcc=5V, Io=100µA
Input voltage	VI (on)	1.1	-	-		Vo=0.3V, Io=5mA
Output voltage	Vo (on)	_	0.1	0.3	V	lo/l=5mA/0.25mA
Input current	h	_	-	3.6	mA	Vi=5V
Output current	IO (off)	_	_	0.5	μΑ	Vcc=50V, VI=0V
DC current gain	Gi	80	_	-	_	Vo=5V, Io=10mA
Transition frequency	f⊤	_	250	-	MHz	Vce=10V, Ie= -5mA, f=100MHz *
Input resistance	R1	1.54	2.2	2.86	kΩ	_
Resistance ratio	R ₂ /R ₁	17	21	26	_	_

* Transition frequency of the device


•Dimensions (Unit : mm)



•Equivalent circuit



EMH10 / UMH10N






Fig.2 Output current vs. input voltage (OFF characteristics)




Fig.4 Output voltage vs. output current

	Notes
	or reproduction of this document, in part or in whole, is permitted without the OHM Co.,Ltd.
The content	specified herein is subject to change for improvement without notice.
"Products").	specified herein is for the purpose of introducing ROHM's products (hereinafte If you wish to use any such Product, please be sure to refer to the specifications e obtained from ROHM upon request.
illustrate the	application circuits, circuit constants and any other information contained hereir standard usage and operations of the Products. The peripheral conditions mus account when designing circuits for mass production.
However, sh	vas taken in ensuring the accuracy of the information specified in this document ould you incur any damage arising from any inaccuracy or misprint of such ROHM shall bear no responsibility for such damage.
examples of implicitly, any other parties	I information specified herein is intended only to show the typical functions of and application circuits for the Products. ROHM does not grant you, explicitly of y license to use or exercise intellectual property or other rights held by ROHM and B. ROHM shall bear no responsibility whatsoever for any dispute arising from the rechnical information.
equipment o	s specified in this document are intended to be used with general-use electronic r devices (such as audio visual equipment, office-automation equipment, commu- ces, electronic appliances and amusement devices).
The Products	s specified in this document are not designed to be radiation tolerant.
	1 always makes efforts to enhance the quality and reliability of its Products, a fail or malfunction for a variety of reasons.
against the p failure of any shall bear no	The to implement in your equipment using the Products safety measures to guard cossibility of physical injury, fire or any other damage caused in the event of the Product, such as derating, redundancy, fire control and fail-safe designs. ROHM presponsibility whatsoever for your use of any Product outside of the prescribed in accordance with the instruction manual.
system whic may result in instrument, t controller or of the Produ	s are not designed or manufactured to be used with any equipment, device on h requires an extremely high level of reliability the failure or malfunction of which a direct threat to human life or create a risk of human injury (such as a medica ransportation equipment, aerospace machinery, nuclear-reactor controller, fuel- other safety device). ROHM shall bear no responsibility in any way for use of any locts for the above special purposes. If a Product is intended to be used for any purpose, please contact a ROHM sales representative before purchasing.
be controlled	to export or ship overseas any Product or technology specified herein that may d under the Foreign Exchange and the Foreign Trade Law, you will be required to use or permit under the Law.



Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact us.

ROHM Customer Support System

http://www.rohm.com/contact/

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

ROHM Semiconductor: UMH10NTN IMH10AT110